

# BARCODE READERS FIXED-MOUNT - HANDHELD - MOBILE

## THE GLOBAL LEADER

### IN MACHINE VISION AND INDUSTRIAL BARCODE READING

Cognex, the leading supplier of machine vision and industrial barcode reading solutions.

With over 2 million systems installed in facilities around the world and over thirty seven years of experience, Cognex is focused on industrial machine vision and image-based barcode reading technology. Deployed by the world's top manufacturers, suppliers and machine builders, Cognex products ensure that manufactured items meet the stringent quality requirements of each industry.

Cognex solutions help customers improve manufacturing quality and performance by eliminating defects, verifying assembly and tracking information at every stage of the production process. Smarter automation using Cognex vision and barcode reading systems means fewer production errors, which equates to lower manufacturing costs and higher customer satisfaction. With the widest range of solutions and largest network of global vision experts, Cognex is the best choice to help you **Build Your Vision.**™

\$806 MILLION 2018 REVENUE

OVER 37
YEARS IN THE BUSINESS

500+

**CHANNEL PARTNERS** 

GLOBAL OFFICES IN 20+ COUNTRIES

2,000,000+
SYSTEMS SHIPPED





Nearly every product uses a 1D or 2D barcode to automate and simplify identification and data capture. The basic process in reading codes is to 1) illuminate the code, 2) locate the code, and 3) extract the data. Organizations must be able to read codes quickly and accurately for maximum efficiency and throughput.

Cognex image-based barcode readers decode 1D and 2D codes, from printed labels to the hardest to read direct part mark (DPM) codes, and deliver industry-leading read rates. Advanced technology, modular options, and easy setup helps reduce costs, optimize performance, increase throughput, and control traceability.

### **INDUSTRIES**

Cognex supplies solutions to virtually all manufacturing and logistics industry sectors, including:

- Aerospace
- Airport Baggage Handling
- Automotive
- Ecommerce Fulfillment
- Electronics
- Field Service
- Food and Beverage
- Medical Devices
- Pharmaceutical
- Retail Distribution

#### **Fixed-Mount Barcode Readers**







#### **Mobile Solutions**




# PATENTED TECHNOLOGY FOR OPTIMAL PERFORMANCE AND TRACEABILITY

Cognex products are optimized with patented decoding algorithms and advanced technologies to ensure continuously high read rates for the most difficult and degraded 1D and 2D codes.



#### 1DMax Advanced Algorithm

1DMax® is a 1D barcode reading algorithm optimized for omnidirectional barcode reading and extreme variations in contrast, blur, damage, resolution, quiet zone violations, and perspective distortion.









#### Hothars Image Analysis Technology

Grouped with 1DMax, Hotbars® locates and extracts 1D barcodes up to 10x faster than a typical reader, even with increased noise, large specular reflection, reduced quiet zone, limited contrast, and damage.

	TYPICAL 1D ALGORITHM	HOTBARS IMAGE ANALYSIS
Noise		
Specular		
Perspective		
Quiet Zone		
Contrast		
Damage		



2DMax<sup>®</sup> 2D barcode reading algorithm provides reliable 2D code reading despite code quality, printing method, or surface type.







#### **PowerGrid**

极

PowerGrid® quickly locates 2D codes that exhibit significant damage to or complete elimination of a code's finder pattern, clocking pattern, or quiet zone.



No finder pattern



No finder or clocking pattern



Quiet zone violation



Stripe

## High Dynamic Range (HDR) Technology

HDR imaging uses the latest CMOS image sensor technology, which is 16x more detailed than conventional sensors, to globally enhance image quality and contrast.





Conventional Sensor



HDR+

HDR+ further increases localized contrast changes automatically. This creates a more uniformed image in a single acquisition allowing greater depthof-field, faster line speeds, and improved handling of difficult codes.









HDR+ technology enables reading an increased range of codes than is possible with conventional or other HDR technologies.



DataMan® fixed-mount, image-based barcode readers offer advanced technology, processing power, modularity, and ease of use for challenging manufacturing and logistics applications.



#### **DataMan 70 Series**

Compact design ideal for reading 1D and 2D label-based codes in tight application spaces.

POWER





















FEATURES











#### **DataMan 260 Series**

Straight or right-angle modular design ideal for 1D barcodes, higher density 2D codes, or direct part mark (DPM) codes.



RESOLUTION 1.2 MP CONNECTIVITY



























#### **DataMan 370 Series**

Delivers superior read performance for the broadest range of applications, including multi-code, multi-symbology applications.



POWER









SYMBOLOGIES



FEATURES


















Fully compatible with DataMan 360 series accessories





60.5 mm

\*Including integrated light. Base dimensions are same as DataMan 360 series: 73 mm (L) x 54 mm (W) x 42 mm (H)

#### **DataMan 470 Series**

Premium reader with multi-core processing power and advanced imaging technology for complex, high-throughput 1D and 2D code applications.







RESOLUTION











SYMBOLOGIES



































77.1 mm

## FIXED-MOUNT READER SPECIFICATIONS & FEATURES

		60 Series	70 Series	150 Series	260 Series	360 Series	370 Series	470 Series	503 Series
	Resolution	752 x 480		752 x 480 1280 x 960		800 x 600 1280 x 1024 1600 x 1200		x 1536 x 2048	2048 x 1088
	Processing Power <sup>1</sup>	1X	1.7X	2	X	2.5X	5X	7.5X	9X
	FPS		60		Up to 60	Up to 80		150	
QXS	Model Variants	L, QL, S, Q, X	L, QL, S, Q	QL, S	S, Q, X		L, Q, QL, X		QL, X
Lense	s								
	Liquid Lens			✓	✓	✓	$\checkmark$	✓	✓
-	High Speed Liquid Lens						✓	✓	
6	C-mount		<b>√</b>	<b>√</b>	✓	✓	<b>√</b>	✓	✓
6	S-mount	<b>✓</b>	✓	<b>√</b>	✓	✓			
Symb	ologies								
	1D	✓	✓	✓	✓	<b>✓</b>	$\checkmark$	✓	✓
	2D	<b>✓</b>	<b>√</b>	✓	<b>√</b>	✓	<b>√</b>	<b>√</b>	✓
	Multi-code	<b>√</b>	<b>√</b>	<b>√</b>	✓	✓	✓	<b>√</b>	✓
Deco	ling Algorithms								
HUTBARS	1DMax with Hotbars	<b>√</b>	<b>√</b>	✓	✓	<b>√</b>	✓	✓	✓
	2DMax			✓	✓	✓	✓	✓	✓
	PowerGrid			<b>✓</b>	✓	<b>✓</b>	✓	✓	
	ologies								
	Multi-Reader Sync				✓	✓	$\checkmark$	✓	✓
HDR	HDR						✓	<b>√</b>	
HDR+	HDR+							✓	

		60 Series	70 Series	150 Series	260 Series	360 Series	370 Series	470 Series	503 Series
Lightin	ng Modularity								
Ó	Integrated Lighting	✓	✓	✓	✓	<b>√</b>	✓	✓	✓
Ģ	External Lighting					<b>✓</b>	✓	<b>✓</b>	✓
	High Powered Integrated Torch (HPIT)						<b>✓</b>	<b>✓</b>	
Comm	unications								
<b></b>	Discrete I/O	✓	✓	✓	✓	<b>√</b>	✓	✓	✓
	Serial	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
	Ethernet	<b>√</b>			<b>√</b>	<b>✓</b>	<b>✓</b>	✓	<b>✓</b>
G₩	Gigabit Ethernet						<b>✓</b>	<b>✓</b>	
•=	USB		USB-C	USB					
Additio	onal Features								
<b>*</b>	Modular	✓	✓	✓	✓	✓	✓	✓	✓
	Device Feedback				✓	<b>✓</b>	✓	✓	<b>✓</b>
	Laser Aimer					<b>√</b>	✓	✓	✓
<b>%</b>	IP Rating	IP40		IP	65		IP	67	IP65
<b>A</b>	ESD-Safe Housing <sup>2</sup>		<b>√</b>	✓	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	
<b>=</b>	SD card					<b>✓</b>	<b>✓</b>	<b>✓</b>	



#### <sup>1</sup> Processing Power

The processing power of a reader is measured by how quickly it decodes a barcode and outputs the resulting data. A comparison test simulating a complex 1D/2D multi-code application (consisting of four varied 1D codes and seven varied 2D codes together) was used to determine the processing power of each DataMan fixed-mount barcode reader.



#### <sup>2</sup> ESD-Safe Housing

Protects devices and flammable environments from electrostatic discharge (ESD), the sudden flow of static electricity between two objects.

## MODULAR DESIGN FOR MAXIMUM FLEXIBILITY

Cognex's commitment to continuous innovation ensures modular software and hardware configuration options to solve any barcode reading challenge. The example below represents the modular capabilities of Cognex fixed-mount, handheld, and mobile barcode readers.




Patented technology and advanced algorithms optimize performance.



#### Liquid lens autofocus technology


Liquid lens autofocus technology is available for fixed-mount, handheld, and mobile barcode reader models to automatically adapt to changes in working distances for greater depth-of-field. Unlike traditional zoom lenses, liquid lenses do not have any moving parts that can wear out or fail, saving time and maintenance costs.





## Greater coverage with fewer readers


The Xpand™ technology accessory is available to increase the field-of-view coverage of a single barcode reader by over 50%. This enables wider belt coverage using fewer readers, simplifying setup and installation, and reducing overall cost.





## Performance feedback for process optimization

Cognex technology provides performance feedback for networked DataMan fixed-mount barcode readers, including no-read tracking, code quality metrics, heat mapping, and configuration audit trails. A light version of RTM (RTM Lean) is included within the DataMan Setup Tool.









# EASY SETUP AND OPERATION


#### **DataMan Setup Tool**

The DataMan Setup Tool software simplifies installation and operation of Cognex barcode readers. Intelligent auto-tuning and application assistants guide the user to quickly optimize complex parameters with ease. The Setup Tool captures images and data in real time allowing users to review and track device result history as well as other parameters such as code quality.






Step-by-step visual guidance



Auto-tune and autofocus



Pre- and post-image optimization tools



**Application assistants** help optimize parameters



Independent lighting controls




Image & read result history

	min mineral immediatrica, materireperiora, indput
	nas franciscope n Pro nas stancis n Pro
	27 (DecodeMetal24CVC-Decome)
	a - ic a c montherproprior and
	if on a to final-burged on fig. () Transferings of decommonstations ()
ı	, i i
	ALIAN COLUMN COL
	Franciscon + 771

Basic and advanced scripting for custom data formatting



Process control metric feedback



Multiple read setups allow for greater product & environmental variation

# DATAMAN BARCODE VERIFIERS

Barcode verification is the process of grading the quality of barcodes. Barcode verifiers capture images and generate reports to demonstrate compliance to parameters within industry standardization guidelines.


#### **DataMan 8072 Series Verifier**

Packed with powerful lighting options, robust grading algorithms, a high-speed processing engine, and a high-resolution camera to grade the most difficult DPM codes.












The DataMan Setup Tool calculates an overall grade based on several quality parameters. Detailed results show whether codes meet industry standards. Auto-generated reports can be used to demonstrate compliance, as well as help pinpoint printing and process control issues.





## DATAMAN HANDHELD BARCODE READERS



DataMan handheld barcode readers include the latest patented technology, rugged housing, and modular communication options for tough applications.

#### DataMan 8050 Series

Decodes well-marked direct part mark (DPM) and label-based codes in harsh factory floor environments.

CONNECTIVITY











SYMBOLOGIES | FEATURES







#### **DataMan 8070 Series**

Offers advanced image formation for hard to read DPM codes and an extended-range model for label-based logistics applications.

RESOLUTION



1.2 MP





CONNECTIVITY





























#### **DataMan 8600 Series**

Delivers superior image formation for the most challenging DPM, 1D, and 2D codes.

RESOLUTION



1.3 MP





**FEATURES** 

CONNECTIVITY









SYMBOLOGIES















## HANDHELD READER SPECIFICATIONS & FEATURES

		8050 Series	8070 Series	8600 Series		
	Resolution	752 x 480	1.2 MP	1280 x 1024		
QXS	Model Variants	HD, HDX, X	DL, ER	HDX		
Lense	S					
	Liquid Lens		ER	$\checkmark$		
Symb	ologies					
	1D	✓	✓	$\checkmark$		
<b>20</b>	2D	✓	✓	✓		
Deco	ling Algorithms					
HOTBARS	1DMax with Hotbars	✓	✓	$\checkmark$		
	2DMax	✓	✓	$\checkmark$		
	PowerGrid	✓	✓	✓		
Lighti	ng Modularity					
Ŷ	Integrated Lighting	Direct lighting	Half-polarized lighting	UltraLight¹		
Comn	nunications					
	Ethernet with Industrial Protocols	✓	✓	✓		
	Serial	✓	✓	$\checkmark$		
•	USB	✓	✓	$\checkmark$		
*	Bluetooth	✓	✓	✓		
÷	Wireless	✓		✓		
Additi	onal Features					
	Laser Aimer		✓	$\checkmark$		
<b>*</b>	Modular	✓	✓	✓		
<b>Q</b>	ESD-Safe Housing <sup>2</sup>	✓				
$\Diamond$	Drop Test		50 drops from 2 meters			
<b>/</b> •	IP Rating	IP65				



#### <sup>1</sup>UltraLight

UltraLight® technology uses polarized, lowangle, and diffuse lighting to provide the best image formation and illlumination for the hardest-to-read DPM codes.



#### <sup>2</sup> ESD-Safe Housing

Protects devices and flammable environments from electrostatic discharge (ESD), the sudden flow of static electricity between two objects. Select models only.



Cognex offers the only end-to-end family of mobile scanning solutions, achieving best-in-class 1D, 2D, and direct part mark (DPM) barcode reading performance.

#### **MX-1502 and MX-1000 Series**

Combines fast, image-based 1D and 2D barcode reading with iOS® and Android® mobile devices for standard, long, and extended range applications.

RESOLUTION



1.2 MP



SYMBOLOGIES







**FEATURES** 















#### **MX-100 Series**

Mobile device accessory attaches to an Otterbox® uniVERSE Case System® and transforms smartphones into better barcode readers with innovative aiming and lighting.

SYMBOLOGIES











#### Cognex Mobile Barcode Software Development Kit (SDK)

The Cognex Mobile Barcode SDK is a comprehensive software tool for all facets of mobile barcode scanning. It enables tailoring and maintaining a single application for all mobile devices across an entire organization.

The SDK can be used with any supported device, including:

- MX-1000 and MX-1502 Series mobile terminals
- MX-100 Series mobile barcode readers
- Smartphone and tablet cameras (license required)



### **MOBILE SOLUTIONS SPECIFICATIONS & FEATURES**

		MX-100	MX-1000	MX-1502
	Resolution	Device dependant	752 x 480	1.2 MP
•	Scan Range	SR	SR	MR, LR, ER, XR
Lense	s			
	Liquid Lens			✓
Symbo	ologies			
	1D	✓	✓	✓
	2D	<b>√</b>	<b>√</b>	<b>√</b>
	DPM		<b>√</b>	✓
Decod	ling Algorithm	S		
HÖTBARS	1DMax with Hotbars		<b>✓</b>	<b>√</b>
	2DMax		<b>✓</b>	<b>✓</b>
	PowerGrid			<b>√</b>

		MX-100	MX-1000	MX-1502
Lightir	ng			
(Ç)	Integrated Lighting	✓	✓	✓
<b>*</b>	Modular Lighting			<b>✓</b>
Operat	ting System			
É	iOS	✓	✓	✓
( <b>#</b> )	Android		<b>✓</b>	<b>√</b>
Additio	onal Features			
<b>*</b>	Modular	✓	<b>✓</b>	<b>✓</b>
<b>É</b>	Pistol Grip		<b>√</b>	<b>√</b>
$\Diamond$	Drop Test	OtterBox Certified	50 drops fro	om 2 meters
<b>/</b> •	IP Rating	IP54	IP65	IP65



The modular design of Cognex mobile products supports a number of existing and future iOS and Android devices, leveraging the latest communication technologies including 3G, 4G, 4G LTE, Wi-Fi, Bluetooth, and more.



# MODELS AND SYMBOLOGIES

Regardless of code symbology, size, quality, printing method, or surface, Cognex has a barcode reader that can read the code, ensuring maximum efficiency and traceability.

Model	Reads
L	1D fixed position barcodes
QL	1D omnidirectional barcodes
S	Slow or indexed well-marked 1D and 2D codes
Q	High-speed 1D and 2D codes
X	Challenging 1D and 2D codes, including DPM codes
UHD	Ultra-small, well-marked 2D DPM codes (0.7 mil)
HD	Small 1D and 2D codes (6-10 mil)
HDX	Smaller 1D and 2D codes (2-5 mil)
DL	Well-marked 1D and 2D DPM codes
SR	Codes from standard range
MR	Codes from mid-range
LR	Dense or small codes from long range (high shelves)
ER	Codes from extended-range (very high shelves)
XR	Codes on hanging signs or ceilings

#### **1D Codes**

UPC/EAN/JAN























#### **2D** Codes

Data Matrix



QR

Micro QR



PDF417

MicroPDF

Aztec Code

DotCode

#### **Postal Codes**

**POSTNET** 

PLANET, Australian Post, Japan Post, Royal Mail, UPU

Intelligent Mail Barcode


վիլերարությունութերիիներերիկաիկիկիիինեն



Industry 4.0, or "The Industrial Internet of Things," refers to a set of emerging innovations in advanced automation, machine vision, Big Data, cloud computing, and machine learning which will revolutionize manufacturing. Industry 4.0 demonstrates tremendous potential to bolster productivity, reduce waste, refine product quality, enhance manufacturing flexibility, and decrease operating costs.

Machine vision and industrial barcode reading will be a critical part of automation systems in Industry 4.0. As data analytics capabilities progress, the high volume of data accessible through vision and barcode reading equipment will be used to identify and flag defective products, understand their deficiencies, and enable fast and effective intervention in the Industry 4.0 factory.

For more information, visit cognex.com/industry-4-0.



## **BUILD YOUR VISION**

#### **BARCODE READERS**

Cognex industrial barcode readers and mobile terminals with patented algorithms provide the highest read rates for 1D, 2D and DPM codes regardless of the barcode symbology, size, quality, printing method or surface.

www.cognex.com/BarcodeReaders







#### **2D VISION**

Cognex machine vision systems are unmatched in their ability to inspect, identify and guide parts. They are easy to deploy and provide reliable, repeatable performance for the most challenging applications.

www.cognex.com/machine-vision







#### **3D VISION**

Cognex In-Sight laser profilers and 3D vision systems provide ultimate ease of use, power and flexibility to achieve reliable and accurate measurement results for the most challenging 3D applications.

www.cognex.com/3D-vision-systems







#### **VISION SOFTWARE**

Cognex vision software provides industry leading vision technologies, from traditional machine vision to deep learning-based image analysis, to meet any development needs.

www.cognex.com/vision-software







Companies around the world rely on Cognex vision and barcode reading to optimize quality, drive down costs and control traceability.

Corporate Headquarters One Vision Drive Natick, MA 01760 USA

#### Regional Sales Offices

#### **Americas**

+1 844-999-2469 North America +55 (11) 2626 7301 Brazil +01 800 733 4116 Mexico

Europe

+49 721 958 8052 Belaium +32 289 370 75 France +33 1 7654 9318 +49 721 958 8052 Hungary Ireland Italy Netherlands Poland Spain Switzerland

+36 800 80291 +44 121 29 65 163 +39 02 3057 8196 +31 207 941 398 +48 717 121 086 +34 93 299 28 14 +46 21 14 55 88 +41 445 788 877 +90 216 900 1696 Turkey United Kingdom +44 121 29 65 163

Asia China India Japan Korea Malaysia

+86 21 6208 1133 +9120 4014 7840 +81 3 5977 5400 +82 2 539 9980 +6019 916 5532 +65 632 55 700 Singapore +886 3 578 0060 Thailand +66 88 7978924

#### www.cognex.com

© Copyright 2019, Cognex Corporation. All information in this document is subject to change without notice. All Rights Reserved. Cognex, DataMan, Hotbars, 2DMax, 1DMax, PowerGrid, and UltraLight are registered trademarks of Cognex Corporation. Xpand is a trademark of Cognex Corporation. All other trademarks are property of their respective owners. Lit. No. DMIDPG-EN-10-2019